Scleral Lens Safety Check

•	r · · · In · ·	None of the	Some of the	Half of the	Most of the	All of the
A	oplication and Removal	time	time	time	time	time
1	I can consistently apply my sclerals without bubbles.					
2	I can consistently remove my sclerals and the suction breaks readil	y. 🗆				
3	My eyes look and feel okay (not significantly worse than usual) immediately after removing my sclerals.					
Filling solutions						
4	I fill my sclerals only with preservative-free solutions approved by my lens provider.					
5	I follow instructions for when to discard preservative-free solutions after opening.					
Disinfection						
6	I disinfect my sclerals after use, using either a hydrogen peroxide system or a multi-purpose solution approved by my lens provider.					
7	I follow the manufacturer's instructions for a complete disinfection cycle* with fresh solution.					
	*Examples: Clear Care requires 6 hours; Unique pH requires 4 hours; Boston Simplus requires 4 hours; Tangible Clean requires 6 hours. Each manufacturer provides steps to follow prior to soaking.	None	Some	Half	Most	All
St	orage N/A	of the time				
8	For temporary storage needs (e.g. napping, swimming), I place my sclerals in a case filled with multi-purpose solution.					
9	I follow my lens provider's instructions regarding dry or wet long term storage of spare or duplicate sclerals.					
10	I disinfect stored sclerals before returning them to use. $\hfill\Box$					
Water Safety						
11	I wash and dry my hands before handling my sclerals.		_			
12	When I rinse my sclerals, I use saline or multi-purpose solution (not water).					
13	I remove sclerals before showering, or I wait till after I've showered to put them in.					
14	I remove sclerals before swimming.					
General						
15	I stay within my provider's recommended limits for daily wear time.					
16	If I have concerns about the safe handling and care of my sclerals or about my eye health, I contact my lens provider.					



For more scleral lens resources see mbfsl.org